



Biopsihosocijalna procjena i tretman bola

Dipl.psiholog-master Lena Topić Arambašić
Specijalista kliničke psihologije Jelena Đordjić
Dipl.socijalni radnik Ana Grubišić

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

"This project has been funded with support from the European Commission. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein"

BOL

- **Bol je neugodno senzorno i emocionalno iskustvo povezano sa stvarnim ili potencijalnim oštećenjem tkiva**
- **Bol je uvijek psihološko stanje, najčešće uzrokovano neposrednim fizičkim uzrokom**

(Internacionalna asocijacija za istraživanje bola, 2016.)

BOL

- **Bol je univerzalno iskustvo koje je glavni uzrok patnje i onesposobljenosti u Evropi i širom svijeta**
- **Područje psihologije bola doživjelo je veliku revoluciju koja se ogleda u novim i drugačijim teorijskim pogledima na bol, koji više nisu isključivo orientisani na senzorni kvalitet bola, nego priznaju važnost psiholoških komponenti bolnog doživljaja**

BOL

- **Bol na različite načine utiče na svakodnevno psihološko funkcionisanje oboljelih, tako što prekida ili ometa započete aktivnosti**
- **Također može jako uticati na identitet osobe, stoga je neophodno posvetiti više pažnje psihološkim intervencijama koje su usmjerenе upravo na ovaj dio psihološkog funkcionisanja oboljelih**

BOL

Prema Svjetskoj zdravstvenoj organizaciji (2008) hronični bol utiče na ukupni kvalitet života oboljelog tako što narušava njegovo:

- **fizičko stanje – zbog same bolesti ili postupka liječenja, emotivno stanje – zbog stalnog osjećaja боли ili gubitka funkcionalnosti**
- **psihičko stanje – uslijed osjećaja krivice i stalnog propitkivanja samog sebe i**
- **finansijsko stanje – zbog nesposobnosti za rad ili troškova liječenja**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

INDIVIDUALNE RAZLIKE U DOŽIVLJAVANJU I REAGOVANJU NA BOL

- **Pol**
- **Dob**
- **Osobine ličnosti**
- **Socioekonomski status**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

"This project has been funded with support from the European Commission. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein"

PROCJENA BOLA

- **Biopsihosocijalna procjena bola omogućava zdravstvenim radnicima da osmisle tretman koji će odgovarati individualnim potrebama osobe s hroničnim bolom**
- **Detaljna psihološka procjena omogućava uvid u individualne faktore koji mogu utjecati na tok tretmana**
- **Nakon što se provede sveobuhvatna procjena, može se pristupiti provođenju tretmana koji će biti prilagođen jedinstvenim potrebama i karakteristikama oboljelog**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

- **Psihološka procjena osobe s hroničnim bolom može biti kratki psihološki pregled ili opsežna psihološka evaluacija**
- **Cilj obe vrste procjene jest ustanoviti kako kognitivni, emocionalni ili bihevioralni faktori utiču na iskustvo bola**
- **Psihološka procjena bola obično se provodi putem intervjuja, primjenom skala procjene i upitnicima o bolu, te na osnovu fizioloških pokazatelja i opažanjem ponašanja bolijelog**

Project number: 585927-EPP-1-2017-1-ES-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

Psihološku procjenu kod pacijenata sa hroničnim bolom čine organizovan prikaz rezultata procjene i sažetak studije slučaja

- **Cilj procjene je prikupljanje podataka iz različitih izvora (intervju, opažanje, rezultati testiranja, autoanamnestički i heteroanamnestički podaci, ostale tehnike) kako bi mogli što relevantnije procijeniti osobu u odnosu na svrhu ispitivanja (npr. plasiranje aparata – implantata kojima se vrši neuromodulacija) uz maksimalno poštovanje integriteta osobe**
- **Važno je isključiti izvore iskrivljavanja podataka kao npr. svjesno manipulisanje (simulacija ili disimulacija) ili nesvjesno iskrivljavanje koje proizilazi iz osobina ličnosti pacijenta**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

Tokom procjene psiholog bi trebao ispitati sljedeća područja:


- 1. Doživljaj boli i povezane simptome**
- 2. Prethodne i trenutne tretmane**
- 3. Postojanje kompenzacije/spora**
- 4. Reakcije oboljelog i značajnih drugih**
- 5. Savladavanje (šta oboljeli pokušava uraditi kako bi savladao simptome?)**
- 6. Obrazovnu i profesionalnu istoriju**
- 7. Socijalnu istoriju**
- 8. Upotrebu alkohola i supstanci**
- 9. Psihološke disfunkcije**
- 10. Zabrinutost i očekivanja**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

INSTRUMENTI ZA PROCJENU

- Jednodimenzionalne skale (vizuelna analogna skala (VAS), numerička skala procjene, skala s verbalnim deskriptorima)
- Multidimenzionalni upitnici (McGill-Melzackov upitnik, revidirana i proširena verzija SF-MPQ (SF-MPQ-2), za procjenu neuropatske i ne-neuropatske boli, Minnesota multifazni upitnik ličnosti (MMPI), Beckov upitnik depresivnosti, Skala katastrofiziranja o bolu, CPAQ-R Upitnik prihvatanja hroničnog bola, TSK Tampa skala kineziofobije

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)




Project n

2-CBHE-JP (2017 – 3109 / 001 – 001)

McGill – Melzack Pain Questionnaire

Patient's name _____	Date _____	Time _____ am/pm																																																																																								
Analgesic(s) _____	Dosage _____	Time Given _____ am/pm																																																																																								
Analgesic(s) _____	Dosage _____	Time Given _____ am/pm																																																																																								
Analgesic Time Difference (hours): +4 +1 +2 +3																																																																																										
PRI: S (1-10)	A (11-15)	E (16)	M(S) (17-19)	M(AE) (20)	M(T) (17-20)	PRI (T) (1-20)																																																																																				
<table border="1"> <tr> <td>1 flickering</td> <td>11 tiring</td> </tr> <tr> <td>quivering</td> <td>exhausting</td> </tr> <tr> <td>pulsing</td> <td></td> </tr> <tr> <td>throbbing</td> <td>12 sickening</td> </tr> <tr> <td>beating</td> <td>suffocating</td> </tr> <tr> <td>pounding</td> <td></td> </tr> <tr> <td>2 jumping</td> <td>13 fearful</td> </tr> <tr> <td>flashing</td> <td>frightful</td> </tr> <tr> <td>shooting</td> <td>terrifying</td> </tr> <tr> <td>3 pricking</td> <td>14 punishing</td> </tr> <tr> <td>boring</td> <td>gruelling</td> </tr> <tr> <td>drilling</td> <td>cruel</td> </tr> <tr> <td>stabbing</td> <td>vicious</td> </tr> <tr> <td>lancinating</td> <td>killing</td> </tr> <tr> <td>4 sharp</td> <td>15 wretched</td> </tr> <tr> <td>cutting</td> <td>blinding</td> </tr> <tr> <td>lacerating</td> <td></td> </tr> <tr> <td>5 pinching</td> <td>16 annoying</td> </tr> <tr> <td>pressing</td> <td>troublesome</td> </tr> <tr> <td>gnawing</td> <td>miserable</td> </tr> <tr> <td>cramping</td> <td>intense</td> </tr> <tr> <td>crushing</td> <td>unbearable</td> </tr> <tr> <td>6 tugging</td> <td>17 spreading</td> </tr> <tr> <td>pulling</td> <td>radiating</td> </tr> <tr> <td>wrenching</td> <td>penetrating</td> </tr> <tr> <td>7 hot</td> <td>18 tight</td> </tr> <tr> <td>burning</td> <td>numb</td> </tr> <tr> <td>scalding</td> <td>drawing</td> </tr> <tr> <td>searing</td> <td>squeezing</td> </tr> <tr> <td>8 tingling</td> <td>tearing</td> </tr> <tr> <td>itchy</td> <td></td> </tr> <tr> <td>smarting</td> <td>19 cool</td> </tr> <tr> <td>stinging</td> <td>cold</td> </tr> <tr> <td>9 dull</td> <td>freezing</td> </tr> <tr> <td>sore</td> <td></td> </tr> <tr> <td>hurting</td> <td>accompanying</td> </tr> <tr> <td>aching</td> <td>nausea</td> </tr> <tr> <td>heavy</td> <td>headache</td> </tr> <tr> <td>10 tender</td> <td>dizziness</td> </tr> <tr> <td>taut</td> <td>drowsiness</td> </tr> <tr> <td>rasping</td> <td>constipation</td> </tr> <tr> <td>splitting</td> <td>diarrhea</td> </tr> </table>							1 flickering	11 tiring	quivering	exhausting	pulsing		throbbing	12 sickening	beating	suffocating	pounding		2 jumping	13 fearful	flashing	frightful	shooting	terrifying	3 pricking	14 punishing	boring	gruelling	drilling	cruel	stabbing	vicious	lancinating	killing	4 sharp	15 wretched	cutting	blinding	lacerating		5 pinching	16 annoying	pressing	troublesome	gnawing	miserable	cramping	intense	crushing	unbearable	6 tugging	17 spreading	pulling	radiating	wrenching	penetrating	7 hot	18 tight	burning	numb	scalding	drawing	searing	squeezing	8 tingling	tearing	itchy		smarting	19 cool	stinging	cold	9 dull	freezing	sore		hurting	accompanying	aching	nausea	heavy	headache	10 tender	dizziness	taut	drowsiness	rasping	constipation	splitting	diarrhea
1 flickering	11 tiring																																																																																									
quivering	exhausting																																																																																									
pulsing																																																																																										
throbbing	12 sickening																																																																																									
beating	suffocating																																																																																									
pounding																																																																																										
2 jumping	13 fearful																																																																																									
flashing	frightful																																																																																									
shooting	terrifying																																																																																									
3 pricking	14 punishing																																																																																									
boring	gruelling																																																																																									
drilling	cruel																																																																																									
stabbing	vicious																																																																																									
lancinating	killing																																																																																									
4 sharp	15 wretched																																																																																									
cutting	blinding																																																																																									
lacerating																																																																																										
5 pinching	16 annoying																																																																																									
pressing	troublesome																																																																																									
gnawing	miserable																																																																																									
cramping	intense																																																																																									
crushing	unbearable																																																																																									
6 tugging	17 spreading																																																																																									
pulling	radiating																																																																																									
wrenching	penetrating																																																																																									
7 hot	18 tight																																																																																									
burning	numb																																																																																									
scalding	drawing																																																																																									
searing	squeezing																																																																																									
8 tingling	tearing																																																																																									
itchy																																																																																										
smarting	19 cool																																																																																									
stinging	cold																																																																																									
9 dull	freezing																																																																																									
sore																																																																																										
hurting	accompanying																																																																																									
aching	nausea																																																																																									
heavy	headache																																																																																									
10 tender	dizziness																																																																																									
taut	drowsiness																																																																																									
rasping	constipation																																																																																									
splitting	diarrhea																																																																																									
<table border="1"> <tr> <td>PPI _____</td> <td>Comments: _____</td> </tr> <tr> <td colspan="2">constant</td> </tr> <tr> <td colspan="2">periodic</td> </tr> <tr> <td colspan="2">brief</td> </tr> </table>							PPI _____	Comments: _____	constant		periodic		brief																																																																													
PPI _____	Comments: _____																																																																																									
constant																																																																																										
periodic																																																																																										
brief																																																																																										
			Sleep: good	Food intake: good																																																																																						
			fitful	some																																																																																						
			can't sleep	little																																																																																						
			Comments: none	Comments:																																																																																						
			Comments: none	Comments:																																																																																						
			Activity: good	Comments:																																																																																						
			some																																																																																							
			little																																																																																							
			none																																																																																							



PSIHOLOŠKI TRETMAN BOLA

- **Mnogobrojni psihološki tretmani preporučuju se kao neophodan dodatak tretmanu bola, pored farmakološko-medicinskih postupaka**
- **Psihološki tretmani nisu zamjena za medicinske postupke i ne mogu u potpunosti ukloniti bol**
- **Posebno su korisni za hronični bol, kod koga medikamenti i medicinske procedure ne pomažu u potpunosti**
- **Psihološki tretmani bola podrška su oboljelom da smanji zavisnost od lijekova, te da mu se povećava kvalitet i zadovoljstvo životom**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

PSIHOLOŠKI TRETMAN BOLA

- **Psihološke intervencije za tretman hroničnog bola, više se ne smatraju krajnjom opcijom liječenja**
- **Danas se psihološke intervencije koriste uporedo s mnogim medicinskim tretmanima**
- **Psihološki tretman bola može biti ponuđen unutar multidisciplinarnog konteksta ali i kao nezavisni ili odvojeni tretman**
- **Može se provoditi individualno ili u kontekstu grupe, s uključivanjem članova porodice i značajnih osoba ili bez njih**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

"This project has been funded with support from the European Commission. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein"

Krajnji ciljevi psihološkog tretmana:

- a) smanjivanje intenziteta bola ili upravljanje bolnim simptomima(razvoj aktivnih odbrambenih mehanizama, smanjenje bolnog ponašanja i izbjegavanja, povećanje motivacije, poboljšanje kvaliteta spavanja)**

- b) upravljanje simptomima stresa i psihološkim simptomima (smanjivanje anksioznosti, depresije, ljutnje, neizvjesnosti, straha od bola)**

- c) rješavanje interpersonalnih odnosa(porodični konflikti, seksualne poteškoće,problemi u komunikaciji) i profesionalnih poteškoća (stres na poslu, nezadovoljstvo poslom, planiranje karijere)**

Uloga psihologa u timu za neuromodulaciju

- **Psihodiagnostička procjena (kandidati i oni koji to nisu i zašto)**
- **Saradnja sa svim članovima tima**
- **Psihološka priprema**
- **Podrška nakon zahvata**
- **Evaluacija stanja kroz kontrole**

Uticaj socijalnog statusa u

doživljavanju i reagovanju na bol

- **Povezanost socioekonomskog statusa i doživljaja bola**
- **Razvijenost kognitivnih vještina kao preduslov efikasnijeg suočavanja sa hroničnim bolom**
- **Uticaj hroničnog bola na kvalitet života oboljelog**

SOCIJALNI RAD I PACIJENTI SA HRONIČNIM BOLOM

- **Holistički pristup- interakcija između čovjeka i njegove okoline**
- **Socijalna reintegracija kao jedan od osnovnih preduslova kvaliteta života**
- **Hronični bol i socijalna reintegracija**
- **Cilj rada socijalnog radnika sa pacijentima sa hroničnim bolom**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

"This project has been funded with support from the European Commission. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein"

Uloga socijalnog radnika u timu za neuromodulaciju

Procjena socijalnih potreba kao prvi korak u radu socijalnog radnika

Vrste socijalnih potreba:

- **potreba za zadovoljavanjem osnovih životnih potreba**
- **potreba za materijalnom i socijalnom podrškom**
- **potreba za razumijevanjem i pripadanjem**
- **potreba za socijalnom uključenošću i društvenim priznanjem**

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

Metode i tehnike koje su primjenjene u radu sa pacijentima za neuromodulaciju

- osnaživanje i socijalna podrška
- zastupanje
- savjetodavni rad iz oblasti radnog prava i podrška u profesionalnoj rehabilitaciji
- savjetodavni rad iz oblasti socijalne zaštite i zdravstvene zaštite

Kontinuirane konsultacije sa ostalim članovima tima

Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

HVALA!



Project number: 585927-EPP-1-2017-1-RS-EPPKA2-CBHE-JP (2017 – 3109 / 001 – 001)

"This project has been funded with support from the European Commission. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein"